

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Revision date: 04 Sep 2020 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)
Type of product : Polymers
Synonyms : Synthetic thermoplastic rubber, / Poly(styrene-co-butadiene)
Product group : Raw material
Other means of identification : REACH Registration # for monomers:
1,3-butadiene (CAS #106-99-0; EC #203-450-8): 01-2119471988-16-0034, 01-2119471988-16-0233.
styrene (CAS #100-42-5; EC #202-851-5): 01-2119457861-32-0016, 01-2119457861-32-0013.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Industrial/Professional use spec : Industrial
Use of the substance/mixture : Preparation of bituminous, roofing and road construction materials, shoe bottom compositions, glue, adhesive, medical goods, general mechanical rubber goods for plastic modification.

1.2.2. Uses advised against

No additional information available

NOR1.3. Details of the supplier of product safety information sheet

Manufacturer

Voronezhsynthezkauchuk JSC
Leninsky prospect 2
394014 Voronezh - Russian Federation
T +7 473 220 65 26; +7 473 249 09 00; +7 473 220 67 30 (round the clock) - F +7 473 220 68 69
VSK-office@vsk.sibur.ru

1.4. Emergency telephone number

Emergency number : +7 473 249 09 00, +7 473 220 67 30 (round the clock)

Country	Official advisory body	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)
Croatia	Centar za kontrolu otrovanja Institut za medicinska istraživanja i medicinu rada	Ksaverska Cesta 2 p.p. 291 10000 Zagreb	+385 1 234 8342	
Denmark	Giftlinjen Bispebjerg Hospital	Bispebjerg Bakke 23 2400 København NV	+45 82 12 12 12	

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Estonia	Mürgistusteabekeskus	Gonsiori 29 15027 Tallinn	16662 +372 626 93 90	
Finland	Myrkytystietokeskus	Stenbäckinkatu 9 PO BOX 100 29 Helsinki	+358 9 471 977 +358 800 147 111	
Greece	Poisons Information Centre Children's Hospital P&A Kyriakou	11762 Athens	+30 2 10 779 3777	
Greece	Department of Forensic Medicine & Toxicology Aristotle University of Thessaloniki, Medical Faculty	54006 Thessaloniki		
Latvia	Valsts Toksikoloģijas centrs, Saindēšanās un zāļu informācijas centrs	Hipokrāta 2 1038 Rīga	+371 67 04 24 73	
Lithuania	Apsinuodijimų informacijos biuras	Birutės g. 56 8110 Vilnius	+370 5 236 20 52 +370 687 53378	
Luxembourg	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+352 8002 5500	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
Norway	Giftinformasjonen Helsedirektoratet	P.O. Box 7000 St. Olavs Plass 130 Oslo	+47 22 591300	
Slovakia	Národné toxikologické informačné centrum Univerzitná nemocnica Bratislava, pracovisko Kramáre, Klinika pracovného lekárstva a toxikológie	Limbová 5 833 05 Bratislava	+421 2 54 77 41 66	
Slovenia	Center za klinično toksikologijo in farmakologijo Interna klinika, UKCL	Zaloška cesta 7 1525 Ljubljana	+386 41 650 500	
Sweden	Giftinformationscentralen	Box 60 500 171 76 Stockholm	112 – begär Giftinformation +46 10 456 6700 (Från utlandet)	
Switzerland	Tox Info Suisse	Freiestrasse 16 8032 Zürich	145	(from abroad: +41 44 251 51 51) non urgent inquiry: +41 44 251 66 66
Turkey	Ulusal Zehir Merkezi (UZEM) Refik Saydam Hıfızissihha Merkezi Başkanlığı	Cemal Gürsel Cd. No: 18 Sıhhiye Çankaya 06590 Ankara	114	Information is provided to public and medical personnel on poisoning incidents via 114.
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

United Kingdom	National Poisons Information Service Edinburgh Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP) : P273 - Avoid release to the environment.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

Other hazards not contributing to the classification : None under normal conditions.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
STYRENE/BUTADIENE COPOLYMER	(CAS-No.) 9003-55-8 (EC-No.) 618-370-2	≥ 98	Not classified
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate or	(CAS-No.) 2082-79-3 (EC-No.) 218-216-0 (REACH-no) 01-2119491195-33-0000, 01-2119491195-33-0016	≤ 1	Not classified

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2,6-Di-tert-butyl-p-cresol	(CAS-No.) 128-37-0 (EC-No.) 204-881-4 (REACH-no) 01-2119480433-40	< 0.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
----------------------------	---	-------	--

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice. Never give anything by mouth to an unconscious person. Risk of thermal burns on contact with molten product.
First-aid measures after inhalation	: Inhalation unlikely. Not expected to present a significant inhalation hazard under anticipated conditions of normal use. If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use. Contact with molten substance could cause severe burns to skin and eyes. After contact with molten product, cool skin area rapidly with cold water. Removal of solidified molten material from skin requires medical assistance.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Ingestion unlikely. Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: None under normal use. Thermal decomposition can lead to the release of irritating gases and vapours.
Symptoms/effects after skin contact	: None under normal conditions. Risk of thermal burns on contact with molten product.
Symptoms/effects after eye contact	: None under normal conditions. Risk of thermal burns on contact with molten product.
Symptoms/effects after ingestion	: Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. The melted product adheres to the skin and causes burns. Treat as thermal burns.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Sand. Foam. Dry powder. Water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel.
----------------------	--

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Proper grounding procedures to avoid static electricity should be followed. Avoid all unnecessary exposure. Provide good ventilation in process area to prevent formation of vapour.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Does not require any specific or particular technical measures.
- Storage conditions : Store away from direct sunlight or other heat sources. Keep away from heat, sparks and flame. Store in a well-ventilated place.
- Incompatible products : Strong bases. Strong acids. Strong oxidizing agents. Organic solvents.
- Incompatible materials : Sources of ignition. Direct sunlight.
- Storage temperature : ≤ 40 °C
- Packaging materials : Polyethylene film, universal containers, plastic and metal containers. Polypropylene bags.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2,6-Di-tert-butyl-p-cresol (128-37-0)

Germany - Occupational Exposure Limits (TRGS 900)

TRGS 900 Local name	2,6-Di-tert-butyl-p-kresol
Occupational exposure limit value (mg/m ³)	10 mg/m ³ (E)
Peak exposure limitation factor	4(II)
TRGS 900 Remark	DFG;Y;11
TRGS 900 Regulatory reference	TRGS900

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2,6-Di-tert-butyl-p-cresol (128-37-0)

United Kingdom - Occupational Exposure Limits

Local name	2,6-Di-tert-butyl-p-cresol
WEL TWA (mg/m ³)	10 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (2082-79-3)

Germany - Occupational Exposure Limits (TRGS 900)

TRGS 900 Local name	Octadecyl-3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionat
Occupational exposure limit value (mg/m ³)	20 mg/m ³ (E)
Peak exposure limitation factor	2(II)
TRGS 900 Remark	DFG;Y
TRGS 900 Regulatory reference	TRGS900

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear suitable gloves tested to EN374. In the event of contact with molten product : Insulating protective gloves, EN 407

Eye protection:

Use eye protection according to EN 166, designed to protect against powders and dusts.

Skin and body protection:

Wear suitable protective clothing. Use insulated gloves, impervious apron, long sleeves and other protective clothing when handling this material hot

Respiratory protection:

No respiratory protection needed under normal use conditions

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Elastic solid. Powder and granules (powdered).
Colour	: white.
Odour	: Slight.
Odour threshold	: No data available
pH	: No data available

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: > 200 °C
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: 232 °C Not applicable
Auto-ignition temperature	: 315 – 345 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.93 – 0.94 g/cm ³
Solubility	: insoluble in water. Soluble in aromatic hydrocarbons.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: Not applicable
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. high temperatures, naked flames. heat.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Organic solvents.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

2,6-Di-tert-butyl-p-cresol (128-37-0)

LD50 oral rat	> 2930 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (2082-79-3)

LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1.81 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

STYRENE/BUTADIENE COPOLYMER (9003-55-8)

IARC group	3 - Not classifiable
------------	----------------------

2,6-Di-tert-butyl-p-cresol (128-37-0)

IARC group	3 - Not classifiable
------------	----------------------

2,6-Di-tert-butyl-p-cresol (128-37-0)

NOAEL (chronic, oral, animal/male, 2 years)	25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:Effect type: toxicity (migrated information)
---	---

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

2,6-Di-tert-butyl-p-cresol (128-37-0)

LOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (oral, rat, 90 days)	25 mg/kg bodyweight Animal: rat, Animal sex: male

Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (2082-79-3)

NOAEL (oral, rat, 90 days)	≥ 30 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
----------------------------	--

Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Not rapidly degradable

2,6-Di-tert-butyl-p-cresol (128-37-0)

LC50 fish 1	> 0.57 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	0.48 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	> 0.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.023 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.053 mg/l Test organisms (species): Oryzias latipes Duration: '42 d'

Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (2082-79-3)

LC50 fish 1	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 fish 2	> 100 mg/l Test organisms (species): Lepomis macrochirus
EC50 72h algae (1)	> 30 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Persistence and degradability	Not established.
-------------------------------	------------------

STYRENE/BUTADIENE COPOLYMER (9003-55-8)

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Bioaccumulative potential	Not established.
---------------------------	------------------

STYRENE/BUTADIENE COPOLYMER (9003-55-8)

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

STYRENE/BUTADIENE COPOLYMER (9003-55-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
---	---

12.6. Other adverse effects

Additional information : Avoid release to the environment.

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

STYRENE-BUTADIENE THERMOPLASTIC RUBBER (SBS), Block-Copolymer, GRADES DST L 30-01; DST L 30-01(SR)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

Germany

Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Water hazard class (WGK)	: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the mixture

SECTION 16: Other information

Indication of changes:

Version	Date of change	Section	Comments
Version: 1.0	16/03/2010		First edition created according to recommendations of Regulations (EC) #1907/2006
Version: 2.0	07/02/2011	1.1, 2	Sections were updated
Version: 2.1	01/03/2012	1.1; 1.3; 2; 3; 4; 9-13; 15; 16	Trade name was modified. Supplier's information was updated. DISCLAIMER was added on the first page. All sections were updated.
Version: 2.2	04/04/2014	All	All Sections were updated.
Version: 2.3	30/07/2014	Title, 1.1	Trade name was modified.
Version: 2.4	28/05/2015	Title; 1.1; 1.3; 2; 3; 8; 9, 12; 16.1; 16.2	Supplier's information was updated. Sections were updated according to CLP classification of the mixture. Trade name was modified. Section 16.2 from the previous version was removed. Section 16 was renumbered. Colour parameter was updated.
Version: 2.5	17/07/2015	3	Content of bound styrene was corrected
Version: 2.6	25/04/2016	Title; 1.1; 16.1	New grade was added.
Version: 2.7	25/07/2016	1.3	Supplier's contact details were updated.
Version: 3.0	04/09/2020	All	All sections were updated, the document format was changed.

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.